





PRODUCT SPECIFICATIONS

THERMAL BLANKETS FOR CAT 793F (C175-16)



**EXHAUST
TECH SHEET
AVAILABLE**



150°C exhaust surface temperature compliant (NSW MDG 15 Guideline)



Tailor-made for a snug fit Non-itch silica insulation Quick-fit springs Essential for fire mitigation Australian made

THERMAL BLANKETS FOR CAT 793F

Aletek's thermal blankets reduce the surface temperature of engine components to reduce the risk of fire. Our blankets for Cat 793F are tailor-made to reduce the risk of burns and mitigate engine fires.

- Essential for fire mitigation on Cat mining equipment
- Worker safety and protection of your investment in people
- Less engine fires, site shutdowns and insurance premiums
- Quick-fit springs are pre-fitted for faster installs and perfect tension
- Lobster-back design for superior fitment on pipe bend sections
- Designed from 3D scans

*Note: Exhausts supplied in black



Thermal blankets are integral for effective fire mitigation in engine bays



Decrease outer surface temperatures for reduced fire risk and ignition hazards



Faster and easier installs backed by superior product design



GLOBAL HEAD QUARTERS
Queensland, Australia
T 1300 886 628
sales@aletek.com.au
www.aletek.com.au

AUSTRALIA
New South Wales
Queensland
Victoria
Western Australia

USA
Arizona
California
Utah

STH AMERICA
Chile
Colombia
Peru


INDONESIA
Kalimantan



PRODUCT SPECIFICATIONS

THERMAL BLANKETS FOR CAT 793F (C175-16)

THERMAL BLANKET COMPONENTS




THERMAL BLANKET SPECS

Integration	Tailor-made, direct-fit to engine pipes, turbos, etc
Safety	Reduced surface temp. for fire mitigation, less burn risk
Specifications	Silica-reinforced outer, non-itich silica insulation, silica cloth inner with s/steel mesh
Design Features	Quick-fit springs, snug fit, fast installs, minimal gaps
Part No.	138-686 (Complete Kit)
Aletek Drawing	ALE-2955 (RBT, SSP, SXP)



1 MANIFOLD BLANKETS

Design Features	Manifold to turbo collar removes gaps
Safety	Heat insulation and lower surface temps
Part No.	143-300 (Group)



2 TURBO BLANKETS

Design Features	Sewn collars (turbo to engine pipe)
Safety	Place oil line outside turbo blanket
Part No.	160-313 (Group)



3 TEE-JUNCTION BLANKETS


Design Features	Reinforced edge for bracket-holes
Safety	Tailor-made for minimal gaps
Part No.	108-374 (Group)



4 ENGINE PIPE BLANKETS

Design Features	Quick-fit springs for install and removal
Safety	Fish scale design so liquids/fluid/debris can run off
Part No.	149-138 (Group)

DIRECT-FIT EXHAUSTS AVAILABLE



EXHAUST PARTS FOR 793F

Integration	Direct-fit replacement
Specifications	2mm steel, powder-coated finish
Compatibility	Interchange with OEM
Muffler P/N	1 209-381
Engine Pipe	2A 286-227 2B 240-487 2C 251-170 2D 206-987 2E 211-986
Install Hardware	See drawing ALE-076
Bellows Upgrade	See drawing ALE-5570

*Note: Exhausts supplied in black